

# **NATIONAL INSTITUTE OF AYURVEDA, JAIPUR**

(Deemed To Be University)  
(Ministry of AYUSH, Govt. of India)

## **Corrigendum**

**Ref. : NIT issued for Orthopaedic Table with Attachments (Tender ID: 2021\_NIA\_647534\_1)**

1. It is hereby intimated to all prospective bidders that previously required specifications have been withdrawn and replaced with new specifications as per '**Annexure-A**'
2. All Other terms and conditions will remain same.

**Sd/-  
Director**

**SPECIFICATIONS OF ORTHOPAEDIC TABLE WITH ATTACHMENTS**

- Manually gear operated Kidney Elevator
- Hydraulic Table Actuator, Manually Operated.
- Table top is divided into 5 sections providing numerous articulation possibilities. Table top is c-arm & x-ray compatible over the entire length of the table. Offset column provide unrestricted access of C-ARM.
- Detachable-Interchangeable head and leg sections provide further versatility. Integrated weight compensation by manual adjustment of the head and leg sections.
- Non-corrosive stainless steel 304G construction including table top frames, accessories rail, base cover and column telescopic covers.
- Pedal operated braking system Power Source: Electrical – Powered Table
- Pad Configuration: High quality – 50 mm
- Complete Orthopaedic attachments – Saddle post, thigh post, traction table etc.
- With Three years warranty.
- QA, QC and other tests (6 months/1year as per NABH/JCI)

**TECHNICAL SPECIFICATIONS**

Type of Table	C-Arm Compatible Hydraulic Manually Operated Orthopedic Table
Number of Sections in Table Top	6
Table Top Length Range	1900mm-2100mm
Table Top Width Range	500mm-580mm
Table Top Height Range	650mm-1150mm
Material	304 Grade SS
Table Top is X-Ray compatible and stain resistant	Yes
Table Mattress	2 inch latex free fully radiolucent, detachable, easily washable, fluid impermeable. It will provided in parts as per table top.
Patient Weight Capacity	150-270 Kgs
Kidney Bridge	Yes
Detachable Head, leg, Pelvic Sections	Yes
Quick Switch For Zero Position	Yes
Foot Pump	Yes
Foot Break for ease in use	Yes

## TABLE POSITIONS

Trendelenburg Angle, Range	25-30 Degrees
Reverse Trendelenburg Angle Range	25-30 Degrees
Lateral Tilt Angle (Right) Range	18-25 Degrees
Lateral Tilt Angle (Left) Range	18-25 Degrees
Back Section Up/Down Angle, Range	Upto 90-30Degrees
Leg Section Up/Down Angle, Range	20-90Degrees
Horizontal Positioning Range	0-90 Degrees
Flex	Upto 230 Degrees
Reflex	Upto 100
Table Top Longitudinal, Sliding, Range	5" to 12"
Head Section Up/Down Angle, Range	Upto 60-90 Degrees

## STANDARD ACCESSORIES WITH TABLE

Anaesthetic Screen with Side Clamp & Lock	1
Arm Rest with Side Clamp & Lock	1 Pair
Shoulder Support with Side Clamp & Lock	1 Pair
Leg Support or Lithotomy with Side Clamp & Lock	Yes
Extension Bar	1 Pair
Horizontal Attachments	Yes
Sacral Rest	Yes
Lateral Intramedullary Nailing Support	Yes
Retractable Abductor Bar	Yes
Foot Support	1
Bolster Pillow	1
IV Pole and Bracket	Yes
Knee crutches –	1 Pair
Hand rest	1 pc
Mattress 50 mm	1 set

## ORTHOPEDIC ATTACHMENTS

Orthopedic Attachments	Floor Based
Foot Plate Mount	1
Supports Bars	2
Radial Setting Clamps	2
Counter traction Post with Padding Roll	1
Side Rail Extension	1
Rotation & Tilting Clamp	1
Foot Plate (Adult)	1
Traction Boot Pair	1
Guide Bar	1