

National Institute of Ayurveda, Jaipur

(Deemed University)

Ministry of AYUSH, Govt. of India

Jorawar Singh Gate, Old Amer Road, Jaipur (Rajasthan)-302002

QUOTATION INVITING NOTICE (QIN)

Scaled quotations are invited from the reputed and eligible interested Companies/Firms for Supply of Camera, Lens, Illumination Head & Chin support and adjustable stands (Name of Item/Machine) for Rog Nidhan Dept. (Name of Department) of National Institute of Ayurveda, Jaipur, as per below specifications. Last date of receipt the quotation is 22/01/2026 (Date) Till 3.00 PM.

S. No.	Description of Item	Detailed Specification	Quantity
1.	CAMERA Hardware Including CAMERA, LENS, ILLUMINATION HEAD & CHIN SUPPORT, ADJUSTABLE CAMERA STANDS	AS PER ANNEXURE - I	2 Unit (Total 5 Items)

General Terms & Conditions :

1. The Supplier will have to complete the supply at Rog Nidhan Dept. of National Institute of Ayurveda, Jaipur.
2. The Quotation Price shall be in Rupees including all Taxes and no extra prices such as transportation expenses, Installation etc. are payable by the Institute.
3. After due evaluation of the quotation(s), Institute will award the Supply Order to the lowest evaluated responsive firm.
4. Payment shall be made only after completion of the Supply, Installation and submission of bill which will be subject to satisfactory report (certified by the Head of Department or Committee constituted for the purpose).
5. The Vice Chancellor, NIA Jaipur shall be the final authority to reject full or any part of the order which is not confirming to the requirements and other terms and conditions. (Camera Hardware Module)
6. No payment shall be made for the unsatisfactory work/Item. Item/Machine/..... will be under comprehensive warranty for two Year(s) from the date of installation.
7. GST certificate must be enclosed by the firm. Quotation will not be entertained without GST certificate.
8. The Firm must enclose a Certificate on Firm's Letter Head duly Sealed and Signed along with the Quotation stating that "It is certified that our firm M/s.....(complete address of firm) is competent to supply Camera (Name of Machine/Item) and not debarred by Department of Commerce or Ministry/Department concerned". In absence of this certificate, Quotation will not be entertained.
9. The quotations in sealed envelope, super scribing clearly on the envelope "Quotations for Supply of Description in NIA RVV (Name of Department) of National Institute of Ayurveda, Jaipur should reach NIA, Jaipur on or before 22/01/26 (Date) at the below mentioned address :-

The Vice Chancellor, National Institute of Ayurveda (Deemed University),
Madhav Vilas Palace, Jorawar Singh Gate, Amer Road, Jaipur - 302002

Sd/-

VICE CHANCELLOR

विभागाध्यक्ष
रोग निदान एवं चिकित्सा विभाग
राष्ट्रीय आयुर्वेद संस्थान
मानव विश्वविद्यालय, जयपुर

National Institute of Ayurveda Deemed to be University, Jaipur
PG Department of *Roga Nidana Evum Vikriti Vigyana*

PROPOSED EXPENDITURE ESTIMATED FOR RESEARCH PROJECT

TITLE: "ESTABLISHING A JIVHA PARIKSHA IMAGING DATABASE FOR
COMPARATIVE ANALYSIS OF TONGUE FEATURES IN HEALTHY AND
DISEASED SUBJECTS "

I. ESTIMATE FOR HARDWARE REQUIREMENT OF IMAGE CAPTURE SETUP

i. Camera:

- Canon R50 or better
 - Manual white balance and focus settings

ii. Lens:

- 50mm prime lens (macro lens optional for surface detail)

iii. Illumination:

- Circular white LED ring light around the lens
 - Colour temperature: 6,500 K (D65 illuminant simulation)

iv. Stand:

- Adjustable camera stands with head and chin support
- Fixed tongue protrusion guide
- Neutral grey or white background

v. Colour Correction Chart:

- Munsell or custom 24-patch tongue-specific colour checker
 - Placed beside the tongue in frame

विभागाध्यक्ष
रोग निदान एवं विकृति विज्ञान विभाग
राष्ट्रीय आयुर्वेद संस्थान,
मानद विश्वविद्यालय, जयपुर

[Signature]

Dated:

CERTIFICATE

It is certified that our firm M/s is
competent to supply (Name of Machineries/Item) and not debarred by
Department of Commerce or Ministry/Department concerned.

Thanking you,

Yours faithfully,

(Signature and Stamp)